

# Toward Real-Time Recognition of Handwritten Mathematical Symbols

Oleg Golubitsky    Stephen M. Watt  
University of Western Ontario  
London Ontario, Canada N6A 5B7  
{oleg,watt}@csd.uwo.ca

A difficulty with most handwriting recognition techniques is that entire curve traces must be obtained before any analysis takes place. This is true even for so-called “online” methods, which recognize one character at a time. This means that recognition on a pen-enabled device, such as a Tablet PC or PDA, typically proceeds in alternating phases of having the processor mostly idle while collecting input and having the user wait while characters are being recognized.

We take a different point of view and ask to what degree it is possible to do useful computation as the digital ink is being written. The initial application is to the problem of mathematical handwriting recognition, where characters are typically written individually and segmentation is not an issue. Our approach is also applicable to other real-time problems such as recognition of other printed handwriting, recognition of entire cursively written words and other classification problems for curves.

Earlier work [1] has shown how coordinate curves  $X(t)$ ,  $Y(t)$  for handwritten characters can be modelled succinctly by truncated Chebyshev series and that the series coefficients can be used to classify characters and for recognition. Rather than describing a digital ink trace by a few hundred coordinate values, instead a visually indistinguishable curve can be modelled by twenty series coefficients. A secondary benefit of this representation is that the geometry of these curves can be analyzed by powerful analytic techniques rather than *ad hoc* numerical techniques.

The present work starts with a similar approach, but uses a different functional basis that allows computation as the curve data is received. The basic idea is to integrate moments of the coordinate curves in real time as the stroke is written and then to construct the coefficients for a Legendre series representation of the size-normalized curves in constant time when the pen is lifted. We find that the Legendre series representation is just as suitable in practice for the representation and analysis of ink traces as the Chebyshev representation, but has the benefit that it can be computed in a small, fixed number of arithmetic operations at the end of a stroke. Additionally, the fixed number of arithmetic operations at each time step (to compute the moments) and on pen up (to normalize size and compute the series coefficients) makes this technique well suited

to inexpensive hardware implementation.

A key aspect of our approach is to recover a function from its moments. This is the Hausdorff moment problem [2, 3]. An algorithm to compute the coefficients of the Legendre series from moments has been proposed in [4] and is essentially the same as one step of our method.

- [1] B.W. Char and S. M. Watt. Representing and characterizing handwritten mathematical symbols through succinct functional approximation. In *Proc. International Conference on Document Analysis and Recognition (ICDAR)*, pp 1198–1202. IEEE Computer Society 2007.
- [2] F. Hausdorff. Summationsmethoden und Momentfolgen. I. *Mathematische Zeitschrift*, 9:74–109, 1921.
- [3] F. Hausdorff. Summationsmethoden und Momentfolgen. II. *Mathematische Zeitschrift*, 9:280–299, 1921.
- [4] G. Talenti. Recovering a function from a finite number of moments. *Inverse Problems*, 3:501–517, 1987.